

# Controlled Ozone Aquawing Ozone Injection Systems



## AFL Series

### BENEFITS

- Better sanitation - Complete disinfection on contact
- Eliminates odors - Powerful, but safe oxidation
- Saves money- Reduces or eliminates chemical use
- Saves time- Disinfectant produced on-site, no storage, mixing, or handling of chemicals
- Protects the environment - Ozone reduces wastewater pollutants

### APPLICATIONS

- Hospitality
- Health Clubs
- Athletics
- Corrections

Ozone is the most powerful oxidizer commercially available, up to 1.5 times stronger and many times faster acting than chlorine, and is unmatched as a disinfectant. Unlike traditional antiseptics, ozone is produced on-site with equipment that can easily be sized to meet any requirement. Ozone enriched-water (OEW) not only sanitizes surfaces on contact but is completely safe. Ozone also leaves no harmful residue in water to harm the environment.

In a time when the demand is high for more economical and eco-friendly laundry equipment, Aquawing has answered the call with the development of it's AFL-Series Ozone system.

With features like compact size, fully adjustable ozone output, convenient electrical interface plug, and a new 4-20mA control circuitry, the AFL-Series are a perfect combination of versatility, economy and solid-state reliability.

### FEATURES

- Compact, wall-mounted (Aluminum stand optional)
- Powder coated enclosure
- Air cooled for ease of installation
- Solid state components
- LED display
- Ambient room sensor
- Patented Injection
- Patented adjustable controls
- Easy Install: No plumbing (Variable ozone optional)



The AFL Series is a state of the art system that offers a sleek compact design, eliminating the need for any special frame or mounting system



## AFL-1

- Internal air compressor
- Air flow meter
- Ozone room monitor (standard)
- Variable ozone output control (optional)
- LED shows main power, high temp
- Solid state electronic components
- Automatic sensing remote 4-20mA ozone output control

Capacity: One washer up to 100lbs



## AFL-2

- Dual Internal air compressor
- Dual Air flow meter
- Ozone room monitor (standard)
- Variable ozone output control (optional)
- Dual signal input from washers
- LED shows main power, high temp
- Solid state electronic components
- Automatic sensing remote 4-20mA ozone output control

Capacity: Two washers up to 100lbs each

### AFL Specifications

Unit	Grams Per Hour @ SCFH @ Rated SCFH	Concentration By Weight Operated	120V/60HZ AMPS	Dimensions			Wt. (lbs)
				H	W	D	
AFL-1	1.3 @ 4	1.4	1.7	19.50	11.50	5.0	35
AFL-2	1.3 @ 4 (x 2)	1.4	2.02	19.50	15.25	7.5	55

